

100% polyester knitted fabric for water based ink, treated with special inkjet coating and PP back liner. The PP back liner holds the ink to prevent from escaping of excess ink onto the printer. After printing, just peel off the back liner from the fabric, then you can see the mirror image on back side. Additionally, It provides an excellent color tone and saturation with pigment ink. Perfectly compatible with all the pigment inks and all kinds of large format printers.

### Application

■ Outdoor/Indoor signs	■ Event Flag	■ Promotional Flag	■ Haning Banner
■ Flying banner	■ Tear-drop banner	■ Exhibition Graphics	■ POS

### Compatible Printers

HP Designjet / Z series	Cannon IPF	Roland/Mimaki	Novajet
★★★★★	★★★★★	★★★★★	★★★★★

### Technical data

Base material	100% Knitted polyester	Compatible Ink	Pigment (UV ink)
Denier	50	Ink limit	200%
Total weight(g/㎡)	152	Optimum printer temp.	70°F (21 °C)
Tolerance	±2	Relative humidity (RH)	20~60%
Thickness(μm)	359 (back liner PP 50 μm)	PVC Free	O
Tolerance	±2	Fire Retardant	X
Color(CIE Mesearment)	L*:98 a*:0.85 b*:-1.02	Water resistant	O
Surface finish	Matt		

### Roll Specification

Width	Gross Weight / roll (Kg/roll)	Roll length	33 yds (30meter)
24" (610mm)	3.7	Diameter of Core	2 inch
36" (914mm)	5.4	Thickness of Core	4 mm
50" (1270mm)	7.3		

### Remark

<ol style="list-style-type: none"> <li>1) Just print directly onto the fabric</li> <li>2) After printing, take 20 minutes at least for sufficient Ink dry time</li> <li>3) Peel out the backing film cautiously from the edge of the material.</li> <li>4) then you can display it wherever you want.</li> </ol> <p>* No need of paper for textile printing * No need of complex process like steaming or washing</p>
---



Should you have any inquiries, feel free to contact us.  
Tel) +44 (0)208 546 1717, Fax) +44 (0)208 546 1717  
Email: sales@sslinkltd.co.uk, Web site: http://www.sslinkltd.co.uk